
AnyBlok / Bus Documentation

Release 1.0.0

jssuzanne

Jun 05, 2018

Contents:

1	Front Matter	1
1.1	Project Homepage	1
1.2	Project Status	1
1.3	Installation	1
1.4	Unit Test	2
1.5	Script	2
1.6	Dependencies	2
1.7	Author	2
1.8	Contributors	2
1.9	Bugs	2
2	Memento	3
2.1	Declare a new consumer	3
2.2	Publish a message through rabbitmq	3
3	Code	5
3.1	Declare a consumer on queue with a marshmallow schema	5
3.2	Worker	6
4	Bloks	9
4.1	Blok bus	9
5	CHANGELOG	15
5.1	0.1.0 (2018-06-05)	15
6	Mozilla Public License Version 2.0	17
6.1	1. Definitions	17
6.2	2. License Grants and Conditions	19
6.3	3. Responsibilities	20
6.4	4. Inability to Comply Due to Statute or Regulation	21
6.5	5. Termination	21
6.6	6. Disclaimer of Warranty	21
6.7	7. Limitation of Liability	22
6.8	8. Litigation	22
6.9	9. Miscellaneous	22
6.10	10. Versions of the License	22
6.11	Exhibit A - Source Code Form License Notice	23

6.12 Exhibit B - “Incompatible With Secondary Licenses” Notice	23
7 Indices and tables	25
Python Module Index	27

Information about the AnyBlok / Bus project.

1.1 Project Homepage

AnyBlok is hosted on [github](#) - the main project page is at https://github.com/AnyBlok/anyblok_bus. Source code is tracked here using [GIT](#).

Releases and project status are available on Pypi at http://pypi.python.org/pypi/anyblok_bus.

The most recent published version of this documentation should be at <http://doc.anyblok-bus.anyblok.org>.

1.2 Project Status

AnyBlok with bus is currently in beta status and is expected to be fairly stable. Users should take care to report bugs and missing features on an as-needed basis. It should be expected that the development version may be required for proper implementation of recently repaired issues in between releases;

1.3 Installation

Install released versions of AnyBlok from the Python package index with [pip](#) or a similar tool:

```
pip install anyblok_bus
```

Installation via source distribution is via the `setup.py` script:

```
python setup.py install
```

Installation will add the `anyblok` commands to the environment.

1.4 Unit Test

Run the test with `nose`:

```
pip install nose
nosetests anyblok_bus/tests
```

1.5 Script

`anyblok_bus` add `console_script` to launch worker. A worker consume a queue defined by the decorator **anyblok_bus.bus_consumer**:

```
anyblok_bus -c anyblok_config_file.cfg
```

..note:: The profile name in the configuration is used to find the correct url to connect to rabbitmq

1.6 Dependencies

AnyBlok / Bus works with **Python 3.3** and later and `pika`. The install process will ensure that **AnyBlok** is installed, in addition to other dependencies. The latest version of them is strongly recommended.

1.7 Author

Jean-Sébastien Suzanne

1.8 Contributors

Anybox team:

- Jean-Sébastien Suzanne

1.9 Bugs

Bugs and feature enhancements to AnyBlok should be reported on the [Issue tracker](#).

Contents

- *Memento*
 - *Declare a new consumer*
 - *Publish a message through rabbitmq*

2.1 Declare a new consumer

In an AnyBlok Model you have to decorate a method with **bus_consumer**

```
from anyblok_bus import bus_consumer
from anyblok import Declarations
from .schema import MySchema

@Declarations.register(Declarations.Model)
class MyModel:

    @bus_consumer(queue_name='name of the queue', schema=MySchema())
    def my_consumer(cls, body):
        # do something
```

The schema must be an instance of `marshmallow.Schema`, see [the marshmallow documentation](#)

Note: The decorated method become a classmethod with always the same prototype (cls, body) body is the deserialization of the message from the queue by the schema.

2.2 Publish a message through rabbitmq

The publication is done by **registry.Bus.publish** method:

```
registry.Bus.publish('exchange', 'routing_key', message, mimetype)
```

if the message have not be send, then an exception is raised

..warning:

A profile must be defined **and** selected by the AnyBlok configuration `**bus_profile**`

Contents

- *Code*
 - *Declare a consumer on queue with a marshmallow schema*
 - * *decorator bus_consumer*
 - * *anyblok model plugin*
 - *Worker*
 - * *Exceptions*

3.1 Declare a consumer on queue with a marshmallow schema

3.1.1 decorator `bus_consumer`

```
anyblok_bus.consumer.bus_consumer (queue_name=None, schema=None)
```

3.1.2 anyblok model plugin

```
class anyblok_bus.consumer.BusConsumerPlugin (registry)
```

```
    Bases: anyblok.model.plugins.ModelPluginBase
```

```
    anyblok.model.plugin to allow the build of the anyblok_bus.bus_consumer
```

```
    initialisation_transformation_properties (properties, transformation_properties)
```

```
        Initialise the transform properties
```

Parameters

- **properties** – the properties declared in the model
- **new_type_properties** – param to add in a new base if need

```
    insert_in_bases (new_base, namespace, properties, transformation_properties)
```

```
        Insert in a base the overload
```

Parameters

- **new_base** – the base to be put on front of all bases
- **namespace** – the namespace of the model
- **properties** – the properties declared in the model
- **transformation_properties** – the properties of the model

transform_base_attribute (*attr, method, namespace, base, transformation_properties, new_type_properties*)
transform the attribute for the final Model

Parameters

- **attr** – attribute name
- **method** – method pointer of the attribute
- **namespace** – the namespace of the model
- **base** – One of the base of the model
- **transformation_properties** – the properties of the model
- **new_type_properties** – param to add in a new base if need

3.2 Worker

class `anyblok_bus.worker.Worker` (*registry, profile, withautocommit=True*)
Bases: `object`

Define consumers to consume the queue défined in the AnyBlok registry by the `bus_consumer` decorator

```
worker = Worker(anyblokregistry, profilename)
worker.start() # blocking loop
worker.is_ready() # return True if all the consumer are started
worker.stop() # stop the loop and close the connection with rabbitmq
```

Parameters

- **registry** – anyblok registry instance
- **profile** – the name of the profile which give the url of rabbitmq

close_channel_and_connection ()

connect ()
Creating connection object

declare_consumer (*queue, model, method*)

get_url ()
Retrieve connection url

is_ready ()

on_cancelok (*unused_frame*)

on_channel_closed (*channel, reply_code, reply_text*)
Called when channel is closed

on_channel_open (*channel*)
Called when channel is opened

on_connection_closed (*connection, reply_code, reply_text*)
Called when connection is closed by the server

on_connection_open (**a*)
Called when we are fully connected to RabbitMQ

reconnect ()

start()

Creating connection object and starting event loop

stop()

stop_consuming()

Set profile's state to 'disconnected' and cancels every related consumers

3.2.1 Exceptions

Contents

- *Bloks*
 - *Blok bus*
 - * *Memento*
 - * *API doc*
 - *Bus*
 - *Profile*
 - *Message*
 - *Exceptions*

4.1 Blok bus

```
class anyblok_bus.bloks.bus.Bus (registry)
    Bases: anyblok.blok.Blok

    Add bus configuration in AnyBlok

    author = 'Suzanne Jean-Sébastien'

    conditional_by = []

    conflicting_by = []

    classmethod import_declaration_module ()
        Do the python import for the Declaration of the model or other

    name = 'bus'

    optional_by = []

    classmethod reload_declaration_module (reload)

    required = ['anyblok-core']

    required_by = []

    version = '1.0.0'
```

4.1.1 Memento

This blok define two Models:

- **Model.Bus.Profile**: list the connection available to a rabbitmq server
- **Model.Bus.Message**: Give the received message witch did not be imported correctly by the consumer

4.1.2 API doc

Bus

class anyblok_bus.bloks.bus.bus.**Bus**

Bases: object

Namespace Bus

AnyBlok registration:

- Type: Model
- Registry name: Model.Bus
- Tablename: bus

classmethod **get_consumers**()

Return the list of the consumers

classmethod **publish**(*exchange, routing_key, data, contenttype*)

Publish a message in an exchange with a routing key through rabbitmq with the profile given by the anyblok configuration

Parameters

- **exchange** – name of the exchange
- **routing_key** – name of the routing key
- **data** – str or unicode to send through rabbitmq
- **contenttype** – the mimetype of the data

Exception PublishException

Profile

class anyblok_bus.bloks.bus.profile.**Profile**

Bases: object

AnyBlok registration:

- Type: Model
- Registry name: Model.Bus.Profile
- Tablename: bus_profile

Fields	
url	<ul style="list-style-type: none"> • nullable - False • default - anyblok.column.NoDefaultValue • Type - anyblok.column.URL
name	<ul style="list-style-type: none"> • nullable - False • default - anyblok.column.NoDefaultValue • size - 64 • unique - True • Type - anyblok.column.String • primary_key - True
state	<ul style="list-style-type: none"> • nullable - False • size - 64 • default - 'disconnected' • Type - anyblok.column.Selection
description	<ul style="list-style-type: none"> • size - 64 • default - anyblok.column.NoDefaultValue • Type - anyblok.column.String

Message

class anyblok_bus.bloks.bus.message.**Message**

Bases: object

AnyBlok registration:

- Type: Model
- Registry name: Model.Bus.Message
- Tablename: bus_message

Fields	
queue	<ul style="list-style-type: none">• nullable - False• size - 64• default - anyblok.column.NoDefaultValue• Type - anyblok.column.String
message	<ul style="list-style-type: none">• nullable - False• default - anyblok.column.NoDefaultValue• Type - anyblok.column.LargeBinary
sequence	<ul style="list-style-type: none">• nullable - False• default - 100• Type - anyblok.column.Integer
error	<ul style="list-style-type: none">• default - anyblok.column.NoDefaultValue• Type - anyblok.column.Text
id	<ul style="list-style-type: none">• default - anyblok.column.NoDefaultValue• autoincrement - True• Type - anyblok.column.Integer• primary_key - True
method	<ul style="list-style-type: none">• nullable - False• size - 64• default - anyblok.column.NoDefaultValue• Type - anyblok.column.String
content_type	<ul style="list-style-type: none">• nullable - False• size - 64• default - 'application/json'• Type - anyblok.column.String
model	<ul style="list-style-type: none">• nullable - False• size - 64• default - anyblok.column.NoDefaultValue• Type - anyblok.column.String

consume ()

Try to consume on message to import it in database

```
classmethod consume_all ()
```

Try to consume all the message, ordered by the sequence

Exceptions

exception `anyblok_bus.bloks.bus.exceptions.PublishException`

Bases: `Exception`

Exception Error for Publish a message through rabbitmq

Contents

- *CHANGELOG*
 - *0.1.0 (2018-06-05)*

5.1 0.1.0 (2018-06-05)

- add Worker to consume the message from rabbitmq
- add publish method to publish a message to rabbitmq
- add **anyblok_bus.bus_consumer** add decorator to define the consumer

6.1 1. Definitions

6.1.1 1.1. “Contributor”

Means each individual or legal entity that creates, contributes to the creation of, or owns Covered Software.

6.1.2 1.2. “Contributor Version”

Means the combination of the Contributions of others (if any) used by a Contributor and that particular Contributor’s Contribution.

6.1.3 1.3. “Contribution”

Means Covered Software of a particular Contributor.

6.1.4 1.4. “Covered Software”

Means Source Code Form to which the initial Contributor has attached the notice in Exhibit A, the Executable Form of such Source Code Form, and Modifications of such Source Code Form, in each case including portions thereof.

6.1.5 1.5. “Incompatible With Secondary Licenses”

Means:

- **That the initial Contributor has attached the notice described in Exhibit B** to the Covered Software; or
- **That the Covered Software was made available under the terms of version 1.1** or earlier of the License, but not also under the terms of a Secondary License.

6.1.6 1.6. “Executable Form”

Means any form of the work other than Source Code Form.

6.1.7 1.7. “Larger Work”

Means a work that combines Covered Software with other material, in a separate file or files, that is not Covered Software.

6.1.8 1.8. “License”

Means this document.

6.1.9 1.9. “Licensable”

Means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently, any and all of the rights conveyed by this License.

6.1.10 1.10. “Modifications”

Means any of the following:

- **Any file in Source Code Form that results from an addition to, deletion from,** or modification of the contents of Covered Software; or
- Any new file in Source Code Form that contains any Covered Software.

6.1.11 1.11. “Patent Claims” of a Contributor

Means any patent claim(s), including without limitation, method, process, and apparatus claims, in any patent Licensable by such Contributor that would be infringed, but for the grant of the License, by the making, using, selling, offering for sale, having made, import, or transfer of either its Contributions or its Contributor Version.

6.1.12 1.12. “Secondary License”

Means either the GNU General Public License, Version 2.0, the GNU Lesser General Public License, Version 2.1, the GNU Affero General Public License, Version 3.0, or any later versions of those licenses.

6.1.13 1.13. “Source Code Form”

Means the form of the work preferred for making modifications.

6.1.14 1.14. “You” (or “Your”)

Means an individual or a legal entity exercising rights under this License. For legal entities, “You” includes any entity that controls, is controlled by, or is under common control with You. For purposes of this definition, “control” means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

6.2 2. License Grants and Conditions

6.2.1 2.1. Grants

Each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

- **Under intellectual property rights (other than patent or trademark)** Licensable by such Contributor to use, reproduce, make available, modify, display, perform, distribute, and otherwise exploit its Contributions, either on an unmodified basis, with Modifications, or as part of a Larger Work; and
- **Under Patent Claims of such Contributor to make, use, sell, offer for sale,** have made, import, and otherwise transfer either its Contributions or its Contributor Version.

6.2.2 2.2. Effective Date

The licenses granted in Section 2.1 with respect to any Contribution become effective for each Contribution on the date the Contributor first distributes such Contribution.

6.2.3 2.3. Limitations on Grant Scope

The licenses granted in this Section 2 are the only rights granted under this License. No additional rights or licenses will be implied from the distribution or licensing of Covered Software under this License. Notwithstanding Section 2.1(b) above, no patent license is granted by a Contributor:

- For any code that a Contributor has removed from Covered Software; or
- **For infringements caused by: (i) Your and any other third party's** modifications of Covered Software, or (ii) the combination of its Contributions with other software (except as part of its Contributor Version); or
- **Under Patent Claims infringed by Covered Software in the absence of its** Contributions.

This License does not grant any rights in the trademarks, service marks, or logos of any Contributor (except as may be necessary to comply with the notice requirements in Section 3.4).

6.2.4 2.4. Subsequent Licenses

No Contributor makes additional grants as a result of Your choice to distribute the Covered Software under a subsequent version of this License (see Section 10.2) or under the terms of a Secondary License (if permitted under the terms of Section 3.3).

6.2.5 2.5. Representation

Each Contributor represents that the Contributor believes its Contributions are its original creation(s) or it has sufficient rights to grant the rights to its Contributions conveyed by this License.

6.2.6 2.6. Fair Use

This License is not intended to limit any rights You have under applicable copyright doctrines of fair use, fair dealing, or other equivalents.

6.2.7 2.7. Conditions

Sections 3.1, 3.2, 3.3, and 3.4 are conditions of the licenses granted in Section 2.1.

6.3 3. Responsibilities

6.3.1 3.1. Distribution of Source Form

All distribution of Covered Software in Source Code Form, including any Modifications that You create or to which You contribute, must be under the terms of this License. You must inform recipients that the Source Code Form of the Covered Software is governed by the terms of this License, and how they can obtain a copy of this License. You may not attempt to alter or restrict the recipients' rights in the Source Code Form.

6.3.2 3.2. Distribution of Executable Form

If You distribute Covered Software in Executable Form then:

- **Such Covered Software must also be made available in Source Code Form, as** described in Section 3.1, and You must inform recipients of the Executable Form how they can obtain a copy of such Source Code Form by reasonable means in a timely manner, at a charge no more than the cost of distribution to the recipient; and
- **You may distribute such Executable Form under the terms of this License, or** sublicense it under different terms, provided that the license for the Executable Form does not attempt to limit or alter the recipients' rights in the Source Code Form under this License.

6.3.3 3.3. Distribution of a Larger Work

You may create and distribute a Larger Work under terms of Your choice, provided that You also comply with the requirements of this License for the Covered Software. If the Larger Work is a combination of Covered Software with a work governed by one or more Secondary Licenses, and the Covered Software is not Incompatible With Secondary Licenses, this License permits You to additionally distribute such Covered Software under the terms of such Secondary License(s), so that the recipient of the Larger Work may, at their option, further distribute the Covered Software under the terms of either this License or such Secondary License(s).

6.3.4 3.4. Notices

You may not remove or alter the substance of any license notices (including copyright notices, patent notices, disclaimers of warranty, or limitations of liability) contained within the Source Code Form of the Covered Software, except that You may alter any license notices to the extent required to remedy known factual inaccuracies.

6.3.5 3.5. Application of Additional Terms

You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, You may do so only on Your own behalf, and not on behalf of any Contributor. You must make it absolutely clear that any such warranty, support, indemnity, or liability obligation is offered by You alone, and You hereby agree to indemnify every Contributor for any liability incurred by such Contributor as a result of warranty, support, indemnity or liability terms You offer. You may include additional disclaimers of warranty and limitations of liability specific to any jurisdiction.

6.4 4. Inability to Comply Due to Statute or Regulation

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Software due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be placed in a text file included with all distributions of the Covered Software under this License. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

6.5 5. Termination

6.5.1 5.1.

The rights granted under this License will terminate automatically if You fail to comply with any of its terms. However, if You become compliant, then the rights granted under this License from a particular Contributor are reinstated (a) provisionally, unless and until such Contributor explicitly and finally terminates Your grants, and (b) on an ongoing basis, if such Contributor fails to notify You of the non-compliance by some reasonable means prior to 60 days after You have come back into compliance. Moreover, Your grants from a particular Contributor are reinstated on an ongoing basis if such Contributor notifies You of the non-compliance by some reasonable means, this is the first time You have received notice of non-compliance with this License from such Contributor, and You become compliant prior to 30 days after Your receipt of the notice.

6.5.2 5.2.

If You initiate litigation against any entity by asserting a patent infringement claim (excluding declaratory judgment actions, counter-claims, and cross-claims) alleging that a Contributor Version directly or indirectly infringes any patent, then the rights granted to You by any and all Contributors for the Covered Software under Section 2.1 of this License shall terminate.

6.5.3 5.3.

In the event of termination under Sections 5.1 or 5.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or Your distributors under this License prior to termination shall survive termination.

6.6 6. Disclaimer of Warranty

Warning: Covered Software is provided under this License on an “as is” basis, without warranty of any kind, either expressed, implied, or statutory, including, without limitation, warranties that the Covered Software is free of defects, merchantable, fit for a particular purpose or non-infringing. The entire risk as to the quality and performance of the Covered Software is with You. Should any Covered Software prove defective in any respect, You (not any Contributor) assume the cost of any necessary servicing, repair, or correction. This disclaimer of warranty constitutes an essential part of this License. No use of any Covered Software is authorized under this License except under this disclaimer.

6.7 7. Limitation of Liability

Warning: Under no circumstances and under no legal theory, whether tort (including negligence), contract, or otherwise, shall any Contributor, or anyone who distributes Covered Software as permitted above, be liable to You for any direct, indirect, special, incidental, or consequential damages of any character including, without limitation, damages for lost profits, loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses, even if such party shall have been informed of the possibility of such damages. This limitation of liability shall not apply to liability for death or personal injury resulting from such party's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

6.8 8. Litigation

Any litigation relating to this License may be brought only in the courts of a jurisdiction where the defendant maintains its principal place of business and such litigation shall be governed by laws of that jurisdiction, without reference to its conflict-of-law provisions. Nothing in this Section shall prevent a party's ability to bring cross-claims or counter-claims.

6.9 9. Miscellaneous

This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not be used to construe this License against a Contributor.

6.10 10. Versions of the License

6.10.1 10.1. New Versions

Mozilla Foundation is the license steward. Except as provided in Section 10.3, no one other than the license steward has the right to modify or publish new versions of this License. Each version will be given a distinguishing version number.

6.10.2 10.2. Effect of New Versions

You may distribute the Covered Software under the terms of the version of the License under which You originally received the Covered Software, or under the terms of any subsequent version published by the license steward.

6.10.3 10.3. Modified Versions

If you create software not governed by this License, and you want to create a new license for such software, you may create and use a modified version of this License if you rename the license and remove any references to the name of the license steward (except to note that such modified license differs from this License).

6.10.4 10.4. Distributing Source Code Form that is Incompatible With Secondary Licenses

If You choose to distribute Source Code Form that is Incompatible With Secondary Licenses under the terms of this version of the License, the notice described in Exhibit B of this License must be attached.

6.11 Exhibit A - Source Code Form License Notice

This Source Code Form **is** subject to the terms of the Mozilla Public License, v. 2.0. If a copy of the MPL was **not** distributed **with** this file, You can obtain one at <http://mozilla.org/MPL/2.0/>.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

Note: You may add additional accurate notices of copyright ownership.

6.12 Exhibit B - “Incompatible With Secondary Licenses” Notice

This Source Code Form is “Incompatible With Secondary Licenses”, as defined by the Mozilla Public License, v. 2.0.

CHAPTER 7

Indices and tables

- `genindex`
- `modindex`
- `search`

a

- `anyblok_bus.bloks.bus`, 9
- `anyblok_bus.bloks.bus.bus`, 10
- `anyblok_bus.bloks.bus.exceptions`, 13
- `anyblok_bus.bloks.bus.message`, 11
- `anyblok_bus.bloks.bus.profile`, 10
- `anyblok_bus.consumer`, 5
- `anyblok_bus.worker`, 6

A

`anyblok_bus.bloks.bus` (module), 9
`anyblok_bus.bloks.bus.bus` (module), 10
`anyblok_bus.bloks.bus.exceptions` (module), 13
`anyblok_bus.bloks.bus.message` (module), 11
`anyblok_bus.bloks.bus.profile` (module), 10
`anyblok_bus.consumer` (module), 5
`anyblok_bus.worker` (module), 6